











# Arctic Insulation & Manufacturing






"The Pre-Insulated Pipe & HDPE Fabrication People"





## Fusion Unit Rental

Certified McElroy Rental Program

Fusion Unit	Specification	Rental Rates	
 <p><b>Mini-Mc</b></p>	<p>The Mini-Mc perfect for joining ½" to 1" service sizes, is a lightweight, portable and easy operation machine.</p> <p>Shipping Weight &amp; Dimensions: 20"w X 16"w X 8"T 25 Lbs total</p>	<p><b>Daily</b> <b>\$98.00</b></p>	<p><b>Monthly</b> <b>\$2,058.00</b></p>
 <p><b>Sidewinder</b></p>	<p>The Sidewinder is the most accurate and advanced way to fuse 4" and smaller branch saddles, tapping tees and smaller saddle fittings onto all main sizes.</p> <p>Shipping Weight &amp; Dimensions: 36"w X 24"w X 19"T 25 Lbs total</p>	<p><b>Daily</b> <b>\$105.00</b></p>	<p><b>Monthly</b> <b>\$2,205.00</b></p>
 <p><b>1" LC Fusion Unit</b></p>	<p>The 1LC will butt fuse 1/2" CTS to 1" IPS (16mm - 34mm). It features a semi-automatic locking cam (LC) system to maintain force during the cooling cycle, and incorporates McElroy's patented Centerline Guidance system.</p> <p>Shipping Weight &amp; Dimensions: 20"w X 16"w X 8"T 40 Lbs total</p>	<p><b>Daily</b> <b>\$115.00</b></p>	<p><b>Monthly</b> <b>\$2,415.00</b></p>
 <p><b>2" Fusion Unit</b></p>	<p>The 2"unit is designed to work in close quarters, and lets you fuse pipe ranging from ½"CTS to 2"IPS. Butt fusion of fittings can be done with ease.</p> <p>Shipping Weight &amp; Dimensions: 20"w X 16"w X 8"T 40 Lbs total</p>	<p><b>Daily</b> <b>\$125.00</b></p>	<p><b>Monthly</b> <b>\$2,625.00</b></p>



<p><b>1"- 4" Fusion Unit (#14) OR 2"- 6" Fusion Unit (#26)</b></p> 	<p>The McElroy #14 Pit Bull Fusion Unit handles fusion of pipe and fittings from 1" IPS to 4" IPS. The #14 Fusion Unit is easy to operate. Width: 17" Length: 16" Height: 16" Weight: 115 lbs.</p> <p>The #26 Fusion Unit handles fusion of pipe and fittings from 2" IPS to 6" DIPS. The #26 Fusion Unit is easy to operate. Width: 20" Length: 16" Height: 18" Weight: 120 lbs. Power Requirements 1.5 kW, 120 VAC Shipping Weight &amp; Dimensions: 45"w X 48"w X 34"T 200 Lbs total</p>	<p><b>#14 Fusion Unit</b></p> <p><b>Daily Monthly</b> <b>\$140.00 \$2,940.00</b></p> <p><b>#26 Fusion Unit</b></p> <p><b>Daily Monthly</b> <b>\$180.00 \$3,780.00</b></p>
<p><b>2"- 8" Two Jaw Fusion Unit With Hydro Pack</b></p> 	<p>The McElroy #28 Fusion Unit is a specially designed for Arctic Insulation and Manufacturing to fuse insulated pipe and fittings from 2" IPS – 8" IPS with an outer jacket no bigger than 16 1/2" OD. Width: 29" Length: 16" Height: 19" Weight: 250 lbs Power Requirements 3.5 kW, 120 VAC Shipping Weight &amp; Dimensions: 45"w X 48"w X 34"T 325 Lbs total</p>	<p><b>Daily Monthly</b> <b>\$240.00 \$5,040.00</b></p>
<p><b>2"-8" Fusion Unit</b></p> 	<p>The #28 Fusion Unit handles fusion of pipe and fittings from 2"IPS - 8"DIPS. The combination unit adds saddle fusion capability of up to an 8" branch on any size main. Width: 37" Length: 65" Height: 41" Weight: 540lbs Power Requirements 3.5 kW, 120 VAC Shipping Weight &amp; Dimensions: 48"w X 96"L X 60"T 700 Lbs total</p>	<p><b>Daily Monthly</b> <b>\$240.000 \$5,040.00</b></p>
<p><b>4"-12" Fusion Unit OR 6"-18" Fusion Unit</b></p> 	<p>The #412 and #618 Fusion Unit is a self-contained unit with its own 18 horsepower gasoline engine. It handles fusion of pipe and fittings #412 fuses 4"IPS to 12" DIPS and the #618 fuses 6"IPS to 18"OD. #412 Width: 49" Length: 94" Height: 50" Weight: 1850 lbs Shipping Weight &amp; Dimensions: 49"w X 96"L X 52"T 2110 Lbs total #618 Width: 49" Length: 94" Height: 50" Weight: 1850 lbs Shipping Weight &amp; Dimensions: 50"w X 96"L X 58"T 2510 Lbs total</p>	<p><b>4"-12" Fusion Unit</b></p> <p><b>Daily Monthly</b> <b>\$385.00 \$8,085.00</b></p> <p><b>6"-18" Fusion Unit</b></p> <p><b>Daily Monthly</b> <b>\$405.00 \$8,505.00</b></p>

<p><b>2"-8" TracStar</b></p> 	<p>The TracStar #28 is a self-contained, self-propelled, all-terrain hydraulic fusion machine with its own 12 horsepower gasoline engine that will butt fuse all pipe sizes from 2"IPS - 8" DIPS.  Width: 43" Length: 96"  Height: 48" Weight: 1400 lbs  Shipping Weight &amp; Dimensions: 48"w X 96"L X 56"T 1570 Lbs total</p>	<p><b>Daily Monthly</b>  <b>\$240.00 \$5,040.00</b></p>
<p><b>McElroy TracStar 630 Fusion Machine</b></p> 	<p>McElroy TracStar 630 fuses 8" IPS - 24" OD pipe. Track mounted, self contained, self propelled, and all terrain on-board generator for powering heater and carriage. The carriage can be easily removed for in-ditch operation. Four or three jaw for tight fusion. For confined spaces it can be converted to top-loading heater and facer.  Width: 102" Length: 142"  Height: 79" Weight: 8600 lbs  Shipping Weight &amp; Dimensions: 102"w X 150"L X 90"T 9900 Lbs total</p>	<p><b>8"-24" Fusion Unit</b>  <b>Daily Monthly</b>  <b>\$925.00 \$19,425.00</b></p>
<p><b>Electro Fusion Unit</b></p> 	<p>Electro Fusion units have a barcode reader wand or a scanner for the recognition of the fusion parameters.  Shipping Weight &amp; Dimensions: 14" x 17" x 13" Weight 60 lbs  Power Requirements 3.5 kW, 120 VAC 30 amp</p>	<p><b>Daily Monthly</b>  <b>\$175.00 \$3,675.00</b></p>
<p><b>Data Logger</b></p> 	<p>The McElroy data logger is used to record and document the profile of each fusion joint made. It is a hand held, battery operated computer that is rugged, portable, weather resistant and easy to use.  Weight: 18 lbs</p>	<p><b>Daily Monthly</b>  <b>\$125.00 \$2,625.00</b></p>
<p><b>Arctic Insulation Training</b></p> 	<p>Arctic Insulation and Manufacturing offers training on all of our rental equipment at both our Anchorage and our Big Lake facilities. All of our training technicians are qualified in Butt Fusion and Electro Fusion accordance with ASTM 2026, PPI TR-33, PPI TR-41 CFR 49 and Central Plastics LDC.</p>	<p><b>Call for class schedules and prices.</b></p> <p><b>Jobsite training \$1000.00 dollar per day plus all of the training technician's expenses</b></p>

<p><b>McElroy Pipe Stands/Rollers</b></p> 	<p>Pipe stands save wear and tear on machines and reduces strain on the operator. Stands are height adjustable. For use with any McElroy fusion machine</p> <p>McElroy 2"-8" Stands Max Load: 2500 lbs. each, Weight: 80 lbs. each</p> <p>McElroy 10"-18" Stands Max Load: 2750 lbs. each, Weight: 130 lbs. each</p>	<p><b>2" – 8" (Smaller Stands)</b></p> <p><b>Daily</b>      <b>Monthly</b> <b>\$25.00</b>      <b>\$525.00</b></p> <p><b>10" – 18" (Larger Stands)</b></p> <p><b>Daily</b>      <b>Monthly</b> <b>\$35.00</b>      <b>\$735.00</b></p>
<p><b>McElroy in Field Tensile Tester</b></p> 	<p>The tensile tester is a hydraulic hand pump machine that is used to test fusion joint coupons. The coupon is loaded into the machine and the hand pump is used to pressure a hydraulic cylinder that pulls the fusion coupon to test it.</p> <p>IMPORTANT: The tensile tester should only be used to perform tests on coupons that were created from fusions of like pipes.</p>	<p><b>Daily</b>      <b>Monthly</b> <b>\$75.00</b>      <b>\$1,575.00</b></p>
<p><b>McElroy 2" Line Tamer</b></p> 	<p>With the McElroy Line Tamer, you can install coiled PE pipe, conduit, and duct faster than installations with straight, cut lengths of pipe. You can install an entire coil of pipe with a minimum of two fusion joints. The Line Tamer cost effectively straightens and re-rounds coiled pipe to meet or exceed ASTM D2513 ovality requirements. It removes coil set for speedy installations on the job site.</p>	<p><b>Daily</b>      <b>Monthly</b> <b>\$55.00</b>      <b>\$1,155.00</b></p>
<p><b>McElroy Poly Horse</b></p> 	<p>Basic PolyHorse Kit includes 3 trusses, 3 stanchions, 6 screw jacks, 1 pivot roller support, 2 stationary roller supports and a speed wrench.</p> <ul style="list-style-type: none"> <li>•Reduces manpower and additional equipment</li> <li>•Handles pipe sizes 3" through 20" (90mm - 500mm)</li> </ul>	<p><b>Daily</b>      <b>Monthly</b> <b>\$225.00</b>      <b>\$4,725.00</b></p>

<p><b>McElroy Hot Tap Tool</b></p> 	<p>The overall tool length is measured from the cap on the gland fitting, to the center of the concave side of the fitting which butts against the pipe. NOTICE: Allowance for face off and bead rollback during fusion must be added to the measurement.</p> <p><b>***COMING SOON***</b></p>	<table border="0"> <tr> <td><b>2" Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$25.00</b></td> <td><b>\$525.00</b></td> </tr> <tr> <td><b>3" Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$25.00</b></td> <td><b>\$525.00</b></td> </tr> <tr> <td><b>4" Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$25.00</b></td> <td><b>\$525.00</b></td> </tr> <tr> <td><b>6" Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$25.00</b></td> <td><b>\$525.00</b></td> </tr> </table>	<b>2" Daily</b>	<b>Monthly</b>	<b>\$25.00</b>	<b>\$525.00</b>	<b>3" Daily</b>	<b>Monthly</b>	<b>\$25.00</b>	<b>\$525.00</b>	<b>4" Daily</b>	<b>Monthly</b>	<b>\$25.00</b>	<b>\$525.00</b>	<b>6" Daily</b>	<b>Monthly</b>	<b>\$25.00</b>	<b>\$525.00</b>		
<b>2" Daily</b>	<b>Monthly</b>																			
<b>\$25.00</b>	<b>\$525.00</b>																			
<b>3" Daily</b>	<b>Monthly</b>																			
<b>\$25.00</b>	<b>\$525.00</b>																			
<b>4" Daily</b>	<b>Monthly</b>																			
<b>\$25.00</b>	<b>\$525.00</b>																			
<b>6" Daily</b>	<b>Monthly</b>																			
<b>\$25.00</b>	<b>\$525.00</b>																			
<p><b>Ritmo RTC Pipe Scrapers:</b> 2" to 6" IPS (160) 3" to 12" IPS (315) 14" to 28" IPS (710)</p> 	<p>Ritmo pipe scrapers are rotary style and easy to use with high scraping precision. Extremely high speed of execution and usable in ditch and reduced spaces. A must have to prepare HDPE pipe and fittings for electro fusion.</p> <p>Ritmo 160 Working Range 2" – 6"IPS Weight: 8 lbs</p> <p>Ritmo 315 Working Range 3" – 12"IPS Weight: 19 lbs</p> <p>Ritmo 710 Working Range 4" – 28"IPS Weight: 86 lbs</p>	<table border="0"> <tr> <td colspan="2"><b>Ritmo 160</b></td> </tr> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$60.00</b></td> <td><b>\$1,260.00</b></td> </tr> <tr> <td colspan="2"><b>Ritmo 315</b></td> </tr> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$65.00</b></td> <td><b>\$1,365.00</b></td> </tr> <tr> <td colspan="2"><b>Ritmo 710</b></td> </tr> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$125.00</b></td> <td><b>\$2,625.00</b></td> </tr> </table>	<b>Ritmo 160</b>		<b>Daily</b>	<b>Monthly</b>	<b>\$60.00</b>	<b>\$1,260.00</b>	<b>Ritmo 315</b>		<b>Daily</b>	<b>Monthly</b>	<b>\$65.00</b>	<b>\$1,365.00</b>	<b>Ritmo 710</b>		<b>Daily</b>	<b>Monthly</b>	<b>\$125.00</b>	<b>\$2,625.00</b>
<b>Ritmo 160</b>																				
<b>Daily</b>	<b>Monthly</b>																			
<b>\$60.00</b>	<b>\$1,260.00</b>																			
<b>Ritmo 315</b>																				
<b>Daily</b>	<b>Monthly</b>																			
<b>\$65.00</b>	<b>\$1,365.00</b>																			
<b>Ritmo 710</b>																				
<b>Daily</b>	<b>Monthly</b>																			
<b>\$125.00</b>	<b>\$2,625.00</b>																			
<p><b>Leister Extrusion Welder</b></p> 	<p>The Leister Inject weld was developed to weld thermoplastics, especially polyethylene and polypropylene. Weight – 4 lbs Temperature Range - 220°C to 310°C Power- 120 VAC, 60 Hz, 400 W Air Pressure - 4 cfm @ 100 psi,</p>	<table border="0"> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$140.000</b></td> <td><b>\$2,940.00</b></td> </tr> </table>	<b>Daily</b>	<b>Monthly</b>	<b>\$140.000</b>	<b>\$2,940.00</b>														
<b>Daily</b>	<b>Monthly</b>																			
<b>\$140.000</b>	<b>\$2,940.00</b>																			
<p><b>Magikist Ltd HDPE Thaw Unit</b></p> 	<p>The Magikist Pulse Jet De-Icier Line Thayer Is a safe and effective thawing of frozen water and service lines with no fire hazard. It is completely self contained for a one person operation. Constructed for industrial use and designed for ease of operation and maintenance. Flow/Pulse control allows operator to select between high pulsing (for feeding tubing down the line) or maximum flow (for maximum thawing). Reel provides convenient storage for tubing. The stainless steel reservoir holds s 9 U.S. gallons.</p> <p>Width: 19"      Length: 28" Height: 41"      Weight: 150 lbs</p>	<table border="0"> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$250.00</b></td> <td><b>\$5,250.00</b></td> </tr> </table>	<b>Daily</b>	<b>Monthly</b>	<b>\$250.00</b>	<b>\$5,250.00</b>														
<b>Daily</b>	<b>Monthly</b>																			
<b>\$250.00</b>	<b>\$5,250.00</b>																			



<p><b>Portable Foam Unit LPG</b></p> 	<p>The LPG portable spray/pour unit is constructed of modular components for minimal field maintenance. The LPG unit uses less electricity than a hair dryer. Any single phase (15 amps) receptacle will power the LPG. The Lock-N-Load gun can be used to both spray &amp; pour Polyurethane insulation and also spray Polyurea Elastomers.</p> <p>Width: 17.5" Length: 10.5" Height: 18" Weight: 76 lbs Shipping Weight &amp; Dimensions: 45"w X 48"w X 34"T 325 Lbs total</p>	<table> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$250.00</b></td> <td><b>\$5,250.00</b></td> </tr> </table>	<b>Daily</b>	<b>Monthly</b>	<b>\$250.00</b>	<b>\$5,250.00</b>								
<b>Daily</b>	<b>Monthly</b>													
<b>\$250.00</b>	<b>\$5,250.00</b>													
<p><b>Central Squeeze off Tool: 2" CTS to 6" IPS</b></p> 	<p>Pinches off 2" CTS - 6" IPS HDPE pipe for live connections or live repairs without shutting off valves. Has hydraulic powered hand pump for easy use.</p> <p>Weight: 80 lbs. We can also offer a smaller pinch off tool that will pinch sizes 1/2" CTS - 2" IPS. It is a manual hand crank powered tool.</p> <p>Weight: 10.5 lbs. Pinch-off tools are used to make live connections or repairs w/o shutting off valves.</p>	<table> <tr> <td colspan="2"><b>2" - 6" (Large pinch-off tool)</b></td> </tr> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$40.00</b></td> <td><b>\$840.00</b></td> </tr> <tr> <td colspan="2"><b>1/2" - 2" (Small pinch-off tool)</b></td> </tr> <tr> <td><b>Daily</b></td> <td><b>Monthly</b></td> </tr> <tr> <td><b>\$15.00</b></td> <td><b>\$315.00</b></td> </tr> </table>	<b>2" - 6" (Large pinch-off tool)</b>		<b>Daily</b>	<b>Monthly</b>	<b>\$40.00</b>	<b>\$840.00</b>	<b>1/2" - 2" (Small pinch-off tool)</b>		<b>Daily</b>	<b>Monthly</b>	<b>\$15.00</b>	<b>\$315.00</b>
<b>2" - 6" (Large pinch-off tool)</b>														
<b>Daily</b>	<b>Monthly</b>													
<b>\$40.00</b>	<b>\$840.00</b>													
<b>1/2" - 2" (Small pinch-off tool)</b>														
<b>Daily</b>	<b>Monthly</b>													
<b>\$15.00</b>	<b>\$315.00</b>													



**McElroy Manufacturing, Inc.**

**The leader by design.**